



LED Stage Light

PAR64-A



Model	LED-PAR64-A-36P
Material of shell	Aluminum
Weight	2.8kgs
Rotary Angle	180°
LED	Power LED/1W
LED Quantity	36PCS
LED Color	R-12,G-12,B-12
Input Voltage	100V-256V AC
Operating Voltage	24V DC
Power Consumption	55Watts(Max.)





LED Stage Light

**PAR64-B**



Model	LED-PAR64-B-36P
Material of shell	Aluminum
Weight	4kgs
Rotary Angle	180°
LED	Power LED/1W
LED Quantity	36 pcs
LED Color	R-12,G-12,B-12
Input Voltage	100V-256V AC
Operating Voltage	24V DC
Power Consumption	55Watts(Max.)




LED Stage Light

PAR64-C



Model	LED-PAR64-C-36x3W(3in1)	LED-PAR64-C-72x3W
Material of shell	Aluminum	Aluminum
Weight	7.9kgs	7.9kgs
Rotary Angle	180°	180°
LED	Power LED/3W(3in1)	XPE LED/3W
LED Quantity	36pcs/3W	72pcs/3W
LED Color	RGB 3in1	RGBA/RGBW(each 18pcs)
Input Voltage	120V-240V AC	120V-240V AC
Operating Voltage	24V DC	24V DC
Power Consumption	110Watts(Max.)	120Watts(Max.)
Function	DMX 512 and built in programs	DMX 512 and built in programs



CE IP65 IP20

