


LED Pixel Module

**A SERIES**




| Model             | LPM-A-9-12V                  | LPM-A-3(3in1)-12V        |
|-------------------|------------------------------|--------------------------|
| Size              | D64xH27mm                    | D64xH27mm                |
| Material          | Transparent cover+black base | Frosted cover+white base |
| LED               | 9pcs 5mm LED                 | 3pcs 5050SMD             |
| Color             | R-3, G-3, B-3                | RGB 3in1                 |
| Input Volt        | 12V DC                       | 12V DC                   |
| Power Consumption | 1Watts (Max.)                | 1Watts (Max.)            |
| Controller        | CVS-LM-500                   | CVS-LM-500               |

CE IP65 



LED Pixel Module

**B SERIES**



| Model             | LPM-B-9-12V                  | LPM-B-3(3in1)-12V        |
|-------------------|------------------------------|--------------------------|
| Size              | 39x37x20mm                   | 39x37x36.2mm             |
| Material          | Transparent cover+black base | Frosted cover+white base |
| LED               | 9pcs 3mm LED                 | 3pcs 5050SMD             |
| Color             | R-3, G-3, B-3                | RGB 3in1                 |
| Input Volt        | 12V DC                       | 12V DC                   |
| Power Consumption | 1Watts (Max.)                | 1Watts (Max.)            |
| Controller        | CVS-LM-500                   | CVS-LM-500               |




CE IP65



LED Pixel Module

**D SERIES**



| Model             | LPM-D-12(3in1)-24V           | LPM-D-3x1W-24V-RGB                       |
|-------------------|------------------------------|--|
| Size              | D120xH73mm                   | D120xH73mm                               |
| Material          | Milkywhite cover+Silver base | Milkywhite cover+Silver base             |
| LED               | 12pcs SMD 5050               | 3pcs power LED/1W(Steady color optional) |
| Color             | RGB 3in1                     | R-1, G-1, B-1                            |
| Input Volt        | 24V DC                       | 24V DC                                   |
| Power Consumption | 3Watts (Max.)                | 4Watts (Max.)                            |
| Controller        | CVS-LM-500                   | CTR-RGB-24V                              |

CE IP65

